

10/553723  
JC20 Rec'd PCT/PTO 1 4 OCT 2005

SEQUENCE LISTING

<110> NATIONAL INSTITUTE OF AGROBIOLOGICAL SCIENCES

<120> METHOD OF DISTINGUISHING EAR SHAPE AND RESISTANCE AGAINST GIBBERELLA ZEAE  
AND METHOD OF IMPROVING BARLEY PLANT USING THE SAME

<130> MOA-A0301P

<150> JP 2003-110682

<151> 2003-04-15

<160> --7

<170> PatentIn version 3.1

<210> 1

<211> 1091

<212> DNA

<213> Hordeum vulgare

<400> 1

```
gactgcgtac caattcgctg aggtacttgc tcgcatagtc atggtgctct ttgcaaactg      60
ccaagaagct ctcgatgata tagtatgggt ccgcgatgca gatatatattg atgctctccg    120
tctgatgaa gtagttgaga tacagcgcat acatgcggat gaactggaaa tccaacttgg      180
tcatgtggaa catattgtag atgtagtcaa atcgcaggag gaattgattc gcggggccagg     240
tatcgaagta caccttccca cccggcacct gagccgcgta aagcgggtat cctgaatctt     300
tcacgaccag aaggcttttc tctctggcca gcacatcttc atggagtctc tttagatcat     360
tgttcagtac gtgatctatt gttttggcag gtaggatcgg cttgccggcg acatggaaat     420
gcttcttacc ttcgacgggt attctgtcta ccaccggggg ttccagaggc ggctagctgc     480
ttgaagcadc tatggcgctt ttaagggcct ttcttgacca gtctcttctt ttgcttcttg     540
gtgggtggcg gtagtgaacc caccatacct tccctaacca gcacccccag tgtcatcggg     600
ctagacagtg gacggcctcg ggggggttgc ggctagaggt ggcattctga ggcgtctcct     660
gcgaggatgg cttgaagaga gactttttgc attccacctt aggacgttcc ggctccggaa     720
aatcaggcaa catcaagtca tcgtctccac actcatagcc tatttcttcg gcgtcatgag     780
ccatcaatcc atcataggcg gtattgaaat acttgttcgg gtcctcatca tcatcctcca     840
tgtcattatc aacatttgct tcttcgacag tggggtgaca tgatctggca ctaatggagg     900
ctctccctcg cgttgtacgc taccatcatc tgccacgaca ggtgcaagta atttggtagg     960
tgggatggtg ttcatacctt cttgagaagg tggcgttgga gtgatactgg gtcctcagag    1020
acgaataaga gacttcggcc aaggcaagaa tcagttcttg catgcgcaa tcatcttact    1080
```

caggactcat c

1091

<210> 2  
<211> 253  
<212> DNA  
<213> Hordeum vulgare

<400> 2  
gactgcgtag caattcgact agccatgggt gtgtatgtat ggcacatggg agtaaaacgt 60  
tacaattctt tttgggaacc acacataatg agtatagcat ggaagatact aataacgttt 120  
gtcgtaacgt tcacagtaaa gaacaccact caaaattata ttttcaatcc cgctttgaaa 180  
acttgagctc taggacttgt gcaaataaat gcttacctct gcaaagggtc tatctattta 240  
ctcaggactc atc 253

<210> 3  
<211> 260  
<212> DNA  
<213> Hordeum vulgare

<400> 3  
gactgcgtag caattctatt agtgacaatc atgctaataa tatgcaaaac cctaagcttg 60  
gggatgctag ttttgctatg accactacat gattggggta ataatttttc ttattgtgac 120  
atccccgat ttaggctaca gtaatcttgg taattgaact acagtaaaca tatgcaaagg 180  
atgccacatc atcgtgattc tattattgat ctctgtatag tcgaaaccga gtcgaaaatc 240  
gaagttactc aggactcatc 260

<210> 4  
<211> 158  
<212> DNA  
<213> Hordeum vulgare

<400> 4  
gactgcgtag caattctgt gtgggaagg gaaaacaaa gccatcatca tcaccaacgc 60  
ttctctcttc gtgggaggat cgatcttcat caacatattc accagcacca tctcatgtcc 120  
aaccctagtt catctcgtgt atttactcag gactcatc 158

<210> 5  
<211> 514  
<212> DNA  
<213> Hordeum vulgare

<400> 5

gactgcgtac caattcctgc tggagaaaga cgaggtgctg gaggtggttg tcggtgaaga 60  
gcacgttcag cttcgtctag acggagtagg caccatcatc atcatgaacc accgtgtcga 120  
agagatcctt cgagatggtg tggagaagtgc tcacgcccac gatgcgaccc tatcctcaat 180  
ttggcacgaa ggccttgtca tggatagaag cgcattctgt cgtgtcgcaa gaatggatat 240  
cgtttacaagt acatgtactg aaaagaagag atatatatag aattggctta cactcgccac 300  
aagctacatc agagtcacat cagtacatta cataatcatc aagagcaaga gcagggtccg 360  
actacggacg aaaacaaacg ataaaaataa gaacagcgtc cgtccttgct atcccaggct 420  
gcgggcctgg aaccatcct agatcgatga agaagaaga gaagaagcaa ctccaatga 480  
acaatcaagg cgctcgctt actcaggact catc 514

<210> 6  
<211> 20  
<212> DNA  
<213> Artificial

<220>  
<223> an artificially synthesized primer sequence

<400> 6  
atggttgtgt atgtatggca 20

<210> 7  
<211> 20  
<212> DNA  
<213> Artificial

<220>  
<223> an artificially synthesized primer sequence

<400> 7  
cagaggtaag cattgatttg 20